JOURNAL OF THE AMERICAN PODIATRIC MEDICAL ASSOCIATION

January–December 2002
Volume 92

SUBJECT INDEX

A

Ammonium lactate
A comparative study of lactic acid 10% and ammonium lactate 12% lotion in the treatment of foot xerosis [Jennings et al], 3:143

Amputation
Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
Diabetic foot wound care algorithms [Han and Ezquerro], 6:336
Diabetic limb salvage: a team approach at a teaching institution [DeNamur and Pupp], 8:457
Syme's amputation: surgical technique, prosthetic considerations, and case reports [Hudson et al], 4:232

Anatomy
The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Congenital absence of the tibial sesamoid [Day et al], 3:153
Is the radiographic appearance of the hallucal tarsometatarsal joint representative of its true anatomical structure? [Sanicola et al], 9:491
Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463
Retrocalcaneal exostosis: anatomy and a new surgical approach [Boberg and Anania], 10:537
Ultrasonographic evaluation of plantar fascia bands: a retrospective study of 211 symptomatic feet [Vohra et al], 8:444
Variations in the origin of the medial calcaneal nerve [Dellon et al], 2:97

Anchoring device
Enhanced tenodesis for retrocalcaneal surgery [Yu et al], 4:200
Hammer toe correction by arthrodesis of the proximal interphalangeal joint using a cortical bone allograft pin [Miller], 10:563

Ankle
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479
Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463
Syme's amputation: surgical technique, prosthetic considerations, and case reports [Hudson et al], 4:232

APMA Announcements and Reports
Council on Podiatric Medical Education, eighty-second annual report, 2001, 3:173
82nd Regular Sessions, House of Delegates, 7:412

Arthrodesis
Hammer toe correction by arthrodesis of the proximal interphalangeal joint using a cortical bone allograft pin [Miller], 10:563

B

Becaplermin
Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350

Bioengineered tissue
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395
Wound treatment with human skin equivalent [De et al], 1:19

Biomechanics
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479
The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Clinical and dynamic range-of-motion techniques in subjects with and without diabetes mellitus [Tinley and Taranto], 3:136
A comparison of four methods of obtaining a negative impression of the foot [Laughton et al], 5:261
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
Kinematics of the midtarsal joint during standing leg rotation [Nester et al], 2:77
Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking [Cornwall and McPoil], 2:67
Reliability and accuracy of biomechanical measurements of the lower extremities [Van Gheluwe et al], 6:317
Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Sensitivity and specificity of the functional hallux limitus test to predict foot function [Payne et al], 5:269
Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82
Use of the tissue stress model as a paradigm for developing an examination and management plan for a patient with plantar fasciitis [Ross], 9:499

Blood
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109
Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149

Bone
The association of hallux limitus with the accessory navicular [Evans et al], 6:359

The biology, medical management, and podiatric implications of menopause [Friedlander and Jones], 8:437
Congenital absence of the tibial sesamoid [Day et al], 3:153
The diagnosis of osteomyelitis in diabetes using erythrocyte sedimentation rate (letter) [Karr], 5:314
Follow-up of the isolated medial approach to hallux abducto valgus correction without interspace release [Boberg and Judge], 10:555
Hammer toe correction by arthrodesis of the proximal interphalangeal joint using a cortical bone allograft pin [Miller], 10:563
Idiopathic flat-top talus [Öztuna et al], 6:368; (erratum), 8:443
Long-term follow-up of the Green-Watermann osteotomy for hallux limitus [Dickerson et al], 10:543
Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking [Cornwall and McPoil], 2:67
A new technique for Charcot's foot reconstruction [Wang et al], 8:429
Retrocalcaneal exostosis: anatomy and a new surgical approach [Boberg and Anania], 10:537
Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82
Synovial osteochondromatosis: a case report and review of the literature [Yu et al], 4:247

Book reviews
Boxer's Shorts 3: The Medical Version [Miller], 8:476
Falls in Older People: Risk Factors and Strategies for Prevention [Levy], 6:371
Introduction to Podopediatrics, 2nd Ed [Bresnahan], 8:475
Musculoskeletal Biomechanics [Phillips], 8:475

Brain
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al]. 1:59
Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109

Bunionectomy
Follow-up of the isolated medial approach to hallux abducto valgus correction without interspace release [Boberg and Judge], 10:555
Ligamentation of the adductor hallucis tendon in bunionectomy [Shrum], 9:512
Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82

C

Calcaneus
Enhanced tenodesis for retrocalcaneal surgery [Yu et al], 4:200
Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking [Cornwall and McPoil], 2:67
Retrocalcaneal exostosis: anatomy and a new surgical approach [Boberg and Anania], 10:537
Variations in the origin of the medial calcaneal nerve [Dellon et al], 2:97

Carcinoma
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306
Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149

Cast
The Jones compression bandage: review and clinical applications [Yu et al], 4:221
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405

Cerebrovascular accident
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59

Charcot's arthropathy
Charcot's arthropathy of the foot [Armstrong and Peters], 7:390
Evaluation and treatment of stage 0 Charcot's neuroarthropathy of the foot and ankle [Yu and Hudson], 4:210
From acute to chronic: monitoring the progress of Charcot's arthropathy [Nubé et al], 7:384
Jean-Martin Charcot (1825–1893): the man behind the joint disease [Sanders], 7:375
Medical treatment of Charcot's arthropathy [Jude and Boulton], 7:381
A new technique for Charcot's foot reconstruction [Wang et al], 8:429

Clonus
Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109

Clubfoot
Idiopathic flat-top talus [Öztuna et al], 6:368; (erratum), 8:443

Coagulation, disseminated intravascular
Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149

Coding
Third-party reimbursement for lower-extremity wound care [Goldsmith and Garoufalis], 1:54

Collagenase
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12

Congenital anomaly
Congenital absence of the tibial sesamoid [Day et al], 3:153

Cyst
Infant heel nodules: calcification of epidermal cysts [Lemont and Brady], 2:112

D

Debridement
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Maggot debridement therapy: a primer [Armstrong et al], 7:398

Dermatophyte
Study of clinically suspected onychomycosis in a podiatric population [Jennings et al], 6:327
Treatment of dermatophyte toenail onychomycosis in the United States: a pharmacoeconomic analysis [Gupta], 5:272

Diabetes mellitus
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479

Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
Charcot's arthropathy of the foot [Armstrong and Peters], 7:390
Clinical and dynamic range-of-motion techniques in subjects with and without diabetes mellitus [Tinley and Taranto], 3:136
Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109
Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
The Diabetic Foot 2001: a summary of the proceedings of the American Diabetes Association's 61st Scientific Symposium [Frykberg and Armstrong], 1:2
Diabetic foot wound care algorithms [Han and Ezquerro], 6:336
Diabetic limb salvage: a team approach at a teaching institution [DeNamur and Pupp], 8:457
The diagnosis of osteomyelitis in diabetes using erythrocyte sedimentation rate (letter) [Karr], 5:314
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
Evaluation and treatment of stage 0 Charcot's neuroarthropathy of the foot and ankle [Yu and Hudson], 4:210
From acute to chronic: monitoring the progress of Charcot's arthropathy [Nubé et al], 7:384
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Maggot debridement therapy: a primer [Armstrong et al], 7:398
Medical treatment of Charcot's arthropathy [Jude and Boulton], 7:381
A new technique for Charcot's foot reconstruction [Wang et al], 8:429
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12
Standardizing wound treatment procedures for advanced technologies [Mulder], 1:7
Symptomatic reversal of peripheral neuropathy in patients with diabetes [Kochman et al], 3:125
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Third-party reimbursement for lower-extremity wound care [Goldsmith and Garoufalis], 1:54
Use of clinical laboratory parameters to evaluate wound healing potential in diabetes mellitus [Abu-Rumman et al], 1:38
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395
Wound treatment with human skin equivalent [De et al], 1:19

Digoxin
P-glycoprotein as the mediator of itraconazole–digoxin interaction [Angirasa and Koch], 8:471

E

Enzyme
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12

Epidemiology
A prospective epidemiologic survey on the prevalence of foot disease in Hong Kong [Chan and Chong], 8:450

Epilepsy
Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109

Equinus
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479

Erythrocyte sedimentation rate
The diagnosis of osteomyelitis in diabetes using erythrocyte sedimentation rate (letter) [Karr], 5:314

Erythromelalgia
Secondary erythromelalgia [Naas], 8:472

Estrogen
The biology, medical management, and podiatric implications of menopause [Friedlander and Jones], 8:437

Evidence-based medicine
Chemical matrixectomy for ingrown toenails: is there an evidence basis to guide therapy? [Espensen et al], 5:287
'Horses for courses': the differences between quantitative and qualitative approaches to research [Redmond et al], 3:159
Integrating research into the clinic: what evidence based practice means to the practising podiatrist [Keenan and Redmond], 2:115
Understanding statistics: putting P-values into perspective [Redmond and Keenan], 5:297

Exercise
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483

Exostosis
Retrocalcaneal exostosis: anatomy and a new surgical approach [Boberg and Anania], 10:537

F

Fascia lata
Extensor hallucis longus tendon rupture repair using a fascia lata allograft [Zielaskowski and Pontious], 8:467

Fibrosarcoma
Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507

Flatfoot
The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Tendon reconstruction in posterior tibial tendon dysfunction [Zirm], 10:570

Flexor digitorum accessorius longus
Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463

Fracture
The biology, medical management, and podiatric implications of menopause [Friedlander and Jones], 8:437

Fungus
Study of clinically suspected onychomycosis in a podiatric population [Jennings et al], 6:327
Treatment of dermatophyte toenail onychomycosis in the United States: a pharmacoeconomic analysis [Gupta], 5:272

G

Gait
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479
The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Clinical and dynamic range-of-motion techniques in subjects with and without diabetes mellitus [Tinley and Taranto], 3:136
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
Kinematics of the midtarsal joint during standing leg rotation [Nester et al], 2:77
Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking [Cornwall and McPoil], 2:67
Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Sensitivity and specificity of the functional hallux limitus test to predict foot function [Payne et al], 5:269

Gangrene
Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149

Graft
Extensor hallucis longus tendon rupture repair using a fascia lata allograft [Zielaskowski and Pontious], 8:467
Hammer toe correction by arthrodesis of the proximal interphalangeal joint using a cortical bone allograft pin [Miller], 10:563
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395
Wound treatment with human skin equivalent [De et al], 1:19

Green-Watermann osteotomy
Long-term follow-up of the Green-Watermann osteotomy for hallux limitus [Dickerson et al], 10:543

Growth factor
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
Standardizing wound treatment procedures for advanced technologies [Mulder], 1:7

Guidelines, authors'
Guidelines for authors, 1:61, 3:170, 7:409

H

Hallux
The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Congenital absence of the tibial sesamoid [Day et al], 3:153
Follow-up of the isolated medial approach to hallux abducto valgus correction without interspace release [Boberg and Judge], 10:555
Is the radiographic appearance of the hallucal tarsometatarsal joint representative of its true anatomical structure? [Sanicola et al], 9:491
Ligamentation of the adductor hallucis tendon in bunionectomy [Shrum], 9:512
Long-term follow-up of the Green-Watermann osteotomy for hallux limitus [Dickerson et al], 10:543
The Mozena Classification System and Treatment Algorithm for ingrown hallux nails [Mozena], 3:131
Relationship between proximal articular set angle and hallux abducto valgus [Ferrari and Malone-Lee], 6:331
A retrospective analysis of 772 patients with hallux limitus [Grady et al], 2:102
Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Sensitivity and specificity of the functional hallux limitus test to predict foot function [Payne et al], 5:269
Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82

Hallux limitus
The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Long-term follow-up of the Green-Watermann osteotomy for hallux limitus [Dickerson et al], 10:543
A retrospective analysis of 772 patients with hallux limitus [Grady et al], 2:102
Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Sensitivity and specificity of the functional hallux limitus test to predict foot function [Payne et al], 5:269

Hallux valgus
Follow-up of the isolated medial approach to hallux abducto valgus correction without interspace release [Boberg and Judge], 10:555
Is the radiographic appearance of the hallucal tarsometatarsal joint representative of its true anatomical structure? [Sanicola et al], 9:491
Ligamentation of the adductor hallucis tendon in bunionectomy [Shrum], 9:512
Relationship between proximal articular set angle and hallux abducto valgus [Ferrari and Malone-Lee], 6:331
Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82

Hammer toe
Hammer toe correction by arthrodesis of the proximal interphalangeal joint using a cortical bone allograft pin [Miller], 10:563

Heel
Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
Infant heel nodules: calcification of epidermal cysts [Lemont and Brady], 2:112
Retrocalcaneal exostosis: anatomy and a new surgical approach [Boberg and Anania], 10:537
Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Ultrasonographic evaluation of plantar fascia bands: a retrospective study of 211 symptomatic feet [Vohra et al], 8:444
Use of the tissue stress model as a paradigm for developing an examination and management plan for a patient with plantar fasciitis [Ross], 9:499

Hemangioma
Capillary hemangioma of the foot [Cione and Cozzarelli], 3:155

History, medical
Jean-Martin Charcot (1825–1893): the man behind the joint disease [Sanders], 7:375

Hong Kong
A prospective epidemiologic survey on the prevalence of foot disease in Hong Kong [Chan and Chong], 8:450

Hormones
The biology, medical management, and podiatric implications of menopause [Friedlander and Jones], 8:437

Human skin equivalent
Wound treatment with human skin equivalent [De et al], 1:19

Hydrocolloid membrane
Dressing selection in chronic wound management [Seaman], 1:24
Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350

Hyperglycemia
Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109

I

Imaging
Is the radiographic appearance of the hallucal tarsometatarsal joint representative of its true anatomical structure? [Sanicola et al], 9:491
Ultrasonographic evaluation of plantar fascia bands: a retrospective study of 211 symptomatic feet [Vohra et al], 8:444

Impression, negative
A comparison of four methods of obtaining a negative impression of the foot [Laughton et al], 5:261

Infants
Infant heel nodules: calcification of epidermal cysts [Lemont and Brady], 2:112

Infection
The diagnosis of osteomyelitis in diabetes using erythrocyte sedimentation rate (letter) [Karr], 5:314
Study of clinically suspected onychomycosis in a podiatric population [Jennings et al], 6:327
Treatment of dermatophyte toenail onychomycosis in the United States: a pharmacoeconomic analysis [Gupta], 5:272

Injury
Achilles tendon rupture as a result of oral steroid therapy [Hersh and Heath], 6:355
Extensor hallucis longus tendon rupture repair using a fascia lata allograft [Zielaskowski and Pontious], 8:467

Insoles
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48

Internet
Podiatric medical resources on the Internet: a fourth update [Keith et al], 9:516
Wound-care resources on the Internet [Corral et al], 9:524

Itraconazole
P-glycoprotein as the mediator of itraconazole–digoxin interaction [Angirasa and Koch], 8:471

J

Joint
The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Charcot's arthropathy of the foot [Armstrong and Peters], 7:390
Clinical and dynamic range-of-motion techniques in subjects with and without diabetes mellitus [Tinley and Taranto], 3:136
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
From acute to chronic: monitoring the progress of Charcot's arthropathy [Nubé et al], 7:384
Hammer toe correction by arthrodesis of the proximal interphalangeal joint using a cortical bone allograft pin [Miller], 10:563
Is the radiographic appearance of the hallucal tarsometatarsal joint representative of its true anatomical structure? [Sanicola et al], 9:491
Jean-Martin Charcot (1825–1893): the man behind the joint disease [Sanders], 7:375
Kinematics of the midtarsal joint during standing leg rotation [Nester et al], 2:77
Medical treatment of Charcot's arthropathy [Jude and Boulton], 7:381
A new technique for Charcot's foot reconstruction [Wang et al], 8:429
Predislocation syndrome: progressive subluxation/dislocation of the lesser metatarsophalangeal joint [Yu et al], 4:182
Prolotherapy in the treatment of foot problems [Tsatsos and Mandal], 6:366
A retrospective analysis of 772 patients with hallux limitus [Grady et al], 2:102
Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Sensitivity and specificity of the functional hallux limitus test to predict foot function [Payne et al], 5:269

Jones compression bandage
The Jones compression bandage: review and clinical applications [Yu et al], 4:221

K

Kinematics
Kinematics of the midtarsal joint during standing leg rotation [Nester et al], 2:77

L

Lactic acid
A comparative study of lactic acid 10% and ammonium lactate 12% lotion in the treatment of foot xerosis [Jennings et al], 3:143

Lesion
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479
Capillary hemangioma of the foot [Cione and Cozzarelli], 3:155
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
Diabetic foot wound care algorithms [Han and Ezquerro], 6:336
Diabetic limb salvage: a team approach at a teaching institution [DeNamur and Pupp], 8:457
Dressing selection in chronic wound management [Seaman], 1:24
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402

Infant heel nodules: calcification of epidermal cysts [Lemont and Brady], 2:112
Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Maggot debridement therapy: a primer [Armstrong et al], 7:398
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12
Standardizing wound treatment procedures for advanced technologies [Mulder], 1:7
Synovial osteochondromatosis: a case report and review of the literature [Yu et al], 4:247
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Third-party reimbursement for lower-extremity wound care [Goldsmith and Garoufalis], 1:54
Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350
Use of clinical laboratory parameters to evaluate wound healing potential in diabetes mellitus [Abu-Rumman et al], 1:38
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395
Wound treatment with human skin equivalent [De et al], 1:19

M

Maggots
Maggot debridement therapy: a primer [Armstrong et al], 7:398

Matrixectomy
Chemical matrixectomy for ingrown toenails: is there an evidence basis to guide therapy? [Espensen et al], 5:287
Scientific analysis of phenol nail surgery [Boberg et al], 10:575

Measurement
Relationship between proximal articular set angle and hallux abducto valgus [Ferrari and Malone-Lee], 6:331
Reliability and accuracy of biomechanical measurements of the lower extremities [Van Gheluwe et al], 6:317

Melanoma
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306

Menopause
The biology, medical management, and podiatric implications of menopause [Friedlander and Jones], 8:437

Metalloproteinase
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12

Metatarsal
Is the radiographic appearance of the hallucal tarsometatarsal joint representative of its true anatomical structure? [Sanicola et al], 9:491
Ligamentation of the adductor hallucis tendon in bunionectomy [Shrum], 9:512
Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking [Cornwall and McPoil], 2:67
Predislocation syndrome: progressive subluxation/dislocation of the lesser metatarsophalangeal joint [Yu et al], 4:182

Metatarsalgia
Predislocation syndrome: progressive subluxation/dislocation of the lesser metatarsophalangeal joint [Yu et al], 4:182

Metatarsus primus adductus
Is the radiographic appearance of the hallucal tarsometatarsal joint representative of its true anatomical structure? [Sanicola et al], 9:491

Muscle
Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463

Mycosis
Study of clinically suspected onychomycosis in a podiatric population [Jennings et al], 6:327
Treatment of dermatophyte toenail onychomycosis in the United States: a pharmacoeconomic analysis [Gupta], 5:272

N

Nail
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306
Chemical matrixectomy for ingrown toenails: is there an evidence basis to guide therapy? [Espensen et al], 5:287
The Mozena Classification System and Treatment Algorithm for ingrown hallux nails [Mozena], 3:131
Scientific analysis of phenol nail surgery [Boberg et al], 10:575
Study of clinically suspected onychomycosis in a podiatric population [Jennings et al], 6:327
Treatment of dermatophyte toenail onychomycosis in the United States: a pharmacoeconomic analysis [Gupta], 5:272

Navicular
The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking [Cornwall and McPoil], 2:67

Neoplasm
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306
Capillary hemangioma of the foot [Cione and Cozzarelli], 3:155
Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149
Synovial osteochondromatosis: a case report and review of the literature [Yu et al], 4:247

Nerve
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
Charcot's arthropathy of the foot [Armstrong and Peters], 7:390
Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109

Diabetic limb salvage: a team approach at a teaching institution [DeNamur and Pupp], 8:457
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
Evaluation and treatment of stage 0 Charcot's neuroarthropathy of the foot and ankle [Yu and Hudson], 4:210
From acute to chronic: monitoring the progress of Charcot's arthropathy [Nubé et al], 7:384
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Jean-Martin Charcot (1825–1893): the man behind the joint disease [Sanders], 7:375
Medical treatment of Charcot's arthropathy [Jude and Boulton], 7:381
A new technique for Charcot's foot reconstruction [Wang et al], 8:429
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12
Standardizing wound treatment procedures for advanced technologies [Mulder], 1:7
Symptomatic reversal of peripheral neuropathy in patients with diabetes [Kochman et al], 3:125
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Use of clinical laboratory parameters to evaluate wound healing potential in diabetes mellitus [Abu-Rumman et al], 1:38
Variations in the origin of the medial calcaneal nerve [Dellon et al], 2:97
Wound treatment with human skin equivalent [De et al], 1:19

Neuroarthropathy
Charcot's arthropathy of the foot [Armstrong and Peters], 7:390
Evaluation and treatment of stage 0 Charcot's neuroarthropathy of the foot and ankle [Yu and Hudson], 4:210
From acute to chronic: monitoring the progress of Charcot's arthropathy [Nubé et al], 7:384
Jean-Martin Charcot (1825–1893): the man behind the joint disease [Sanders], 7:375
Medical treatment of Charcot's arthropathy [Jude and Boulton], 7:381
A new technique for Charcot's foot reconstruction [Wang et al], 8:429

Neurology
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109
Jean-Martin Charcot (1825–1893): the man behind the joint disease [Sanders], 7:375

Neuropathy
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
Charcot's arthropathy of the foot [Armstrong and Peters], 7:390
Diabetic limb salvage: a team approach at a teaching institution [DeNamur and Pupp], 8:457
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
Evaluation and treatment of stage 0 Charcot's neuroarthropathy of the foot and ankle [Yu and Hudson], 4:210
From acute to chronic: monitoring the progress of Charcot's arthropathy [Nubé et al], 7:384
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Medical treatment of Charcot's arthropathy [Jude and Boulton], 7:381
A new technique for Charcot's foot reconstruction [Wang et al], 8:429
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12
Standardizing wound treatment procedures for advanced technologies [Mulder], 1:7
Symptomatic reversal of peripheral neuropathy in patients with diabetes [Kochman et al], 3:125
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Use of clinical laboratory parameters to evaluate wound healing potential in diabetes mellitus [Abu-Rumman et al], 1:38
Wound treatment with human skin equivalent [De et al], 1:19

Nodule
Infant heel nodules: calcification of epidermal cysts [Lemont and Brady], 2:112

Nutrition
Use of clinical laboratory parameters to evaluate wound healing potential in diabetes mellitus [Abu-Rumman et al], 1:38

O

Off-loading
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405

Onychocryptosis
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306
Chemical matrixectomy for ingrown toenails: is there an evidence basis to guide therapy? [Espensen et al], 5:287
The Mozena Classification System and Treatment Algorithm for ingrown hallux nails [Mozena], 3:131

Onychomycosis
Study of clinically suspected onychomycosis in a podiatric population [Jennings et al], 6:327
Treatment of dermatophyte toenail onychomycosis in the United States: a pharmacoeconomic analysis [Gupta], 5:272

Orthoses
A comparison of four methods of obtaining a negative impression of the foot [Laughton et al], 5:261
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48

Osteochondromatosis, synovial
Synovial osteochondromatosis: a case report and review of the literature [Yu et al], 4:247

Osteomyelitis
The diagnosis of osteomyelitis in diabetes using erythrocyte sedimentation rate (letter) [Karr], 5:314

Osteoporosis
The biology, medical management, and podiatric implications of menopause [Friedlander and Jones], 8:437

P

P-glycoprotein
P-glycoprotein as the mediator of itraconazole–digoxin interaction [Angirasa and Koch], 8:471

Paronychia
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306

Pediatric population
Infant heel nodules: calcification of epidermal cysts [Lemont and Brady], 2:112

Pes planus
The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Tendon reconstruction in posterior tibial tendon dysfunction [Zirm], 10:570

Phenol
Chemical matrixectomy for ingrown toenails: is there an evidence basis to guide therapy? [Espensen et al], 5:287
Scientific analysis of phenol nail surgery [Boberg et al], 10:575

Plantar fasciitis
Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Ultrasonographic evaluation of plantar fascia bands: a retrospective study of 211 symptomatic feet [Vohra et al], 8:444
Use of the tissue stress model as a paradigm for developing an examination and management plan for a patient with plantar fasciitis [Ross], 9:499

Posterior tibial tendon dysfunction
Tendon reconstruction in posterior tibial tendon dysfunction [Zirm], 10:570

Predislocation syndrome
Predislocation syndrome: progressive subluxation/dislocation of the lesser metatarsophalangeal joint [Yu et al], 4:182

President's Message
Acceptance address [Viehe], 4:257
APMA online: a major resource for members and the public [Viehe], 7:424
Diabetic foot care: podiatric physicians are the experts [Viehe], 8:477
How else have we arrived? [Viehe], 9:528
Looking outside of podiatric medicine [Viehe], 10:597
Medicare: the good, the bad, and the ugly [Sowell], 1:65
Milestones in podiatric surgery [Viehe], 6:372
Practice models [Sowell], 2:123
The strength of podiatric medicine [Sowell], 3:180
We have arrived! [Viehe], 5:316

Pressure, plantar
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405

Prolotherapy
Prolotherapy in the treatment of foot problems [Tsatsos and Mandal], 6:366

Prostheses
Syme's amputation: surgical technique, prosthetic considerations, and case reports [Hudson et al], 4:232

Protein
P-glycoprotein as the mediator of itraconazole–digoxin interaction [Angirasa and Koch], 8:471

Proximal articular set angle
Relationship between proximal articular set angle and hallux abducto valgus [Ferrari and Malone-Lee], 6:331

Publication
A retrospective analysis of JAPMA publication patterns, 1991–2000 [Menz], 5:308

R

Range of motion
The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Clinical and dynamic range-of-motion techniques in subjects with and without diabetes mellitus [Tinley and Taranto], 3:136
A retrospective analysis of 772 patients with hallux limitus [Grady et al], 2:102
Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Sensitivity and specificity of the functional hallux limitus test to predict foot function [Payne et al], 5:269

Records, medical
Third-party reimbursement for lower-extremity wound care [Goldsmith and Garoufalis], 1:54

Reimbursement, third-party
Third-party reimbursement for lower-extremity wound care [Goldsmith and Garoufalis], 1:54

Research
'Horses for courses': the differences between quantitative and qualitative approaches to research [Redmond et al], 3:159
Integrating research into the clinic: what evidence based practice means to the practising podiatrist [Keenan and Redmond], 2:115
Podiatric medical resources on the Internet: a fourth update [Keith et al], 9:516
A retrospective analysis of JAPMA publication patterns, 1991–2000 [Menz], 5:308
Understanding statistics: putting P-values into perspective [Redmond and Keenan], 5:297
Wound-care resources on the Internet [Corral et al], 9:524

S

Sarcoma
Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90

Scleroderma
Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350

Sclerosis
Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350

Sclerotherapy
Prolotherapy in the treatment of foot problems [Tsatsos and Mandal], 6:366

Seizure
Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109

Sesamoid
Congenital absence of the tibial sesamoid [Day et al], 3:153

Skin
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479
Capillary hemangioma of the foot [Cione and Cozzarelli], 3:155
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
A comparative study of lactic acid 10% and ammonium lactate 12% lotion in the treatment of foot xerosis [Jennings et al], 3:143
Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
Diabetic foot wound care algorithms [Han and Ezquerro], 6:336
Diabetic limb salvage: a team approach at a teaching institution [DeNamur and Pupp], 8:457
Dressing selection in chronic wound management [Seaman], 1:24
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Maggot debridement therapy: a primer [Armstrong et al], 7:398
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12
Standardizing wound treatment procedures for advanced technologies [Mulder], 1:7
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Third-party reimbursement for lower-extremity wound care [Goldsmith and Garoufalis], 1:54
Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350
Use of clinical laboratory parameters to evaluate wound healing potential in diabetes mellitus [Abu-Rumman et al], 1:38
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395
Wound-care resources on the Internet [Corral et al], 9:524
Wound treatment with human skin equivalent [De et al], 1:19

Spur
Retrocalcaneal exostosis: anatomy and a new surgical approach [Boberg and Anania], 10:537

Statistics
Understanding statistics: putting P-values into perspective [Redmond and Keenan], 5:297

Steroid
Achilles tendon rupture as a result of oral steroid therapy [Hersh and Heath], 6:355

Stomach
Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149

Stroke
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59

Subatmospheric therapy
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395

Surgery
Chemical matrixectomy for ingrown toenails: is there an evidence basis to guide therapy? [Espensen et al], 5:287
Enhanced tenodesis for retrocalcaneal surgery [Yu et al], 4:200
Extensor hallucis longus tendon rupture repair using a fascia lata allograft [Zielaskowski and Pontious], 8:467
Follow-up of the isolated medial approach to hallux abducto valgus correction without interspace release [Boberg and Judge], 10:555
Hammer toe correction by arthrodesis of the proximal interphalangeal joint using a cortical bone allograft pin [Miller], 10:563
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Ligamentation of the adductor hallucis tendon in bunionectomy [Shrum], 9:512
Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Long-term follow-up of the Green-Watermann osteotomy for hallux limitus [Dickerson et al], 10:543
A new technique for Charcot's foot reconstruction [Wang et al], 8:429
Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463
Retrocalcaneal exostosis: anatomy and a new surgical approach [Boberg and Anania], 10:537
Scientific analysis of phenol nail surgery [Boberg et al], 10:575
Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82
Syme's amputation: surgical technique, prosthetic considerations, and case reports [Hudson et al], 4:232
Tendon reconstruction in posterior tibial tendon dysfunction [Zirm], 10:570
Variations in the origin of the medial calcaneal nerve [Dellon et al], 2:97

Survey
A prospective epidemiologic survey on the prevalence of foot disease in Hong Kong [Chan and Chong], 8:450

Syme's amputation
Syme's amputation: surgical technique, prosthetic considerations, and case reports [Hudson et al], 4:232

Synovium
Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Synovial osteochondromatosis: a case report and review of the literature [Yu et al], 4:247

T

Talus
Idiopathic flat-top talus [Öztuna et al], 6:368; (erratum), 8:443

Tarsal tunnel syndrome
Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463
Variations in the origin of the medial calcaneal nerve [Dellon et al], 2:97

Tendon
Achilles tendon rupture as a result of oral steroid therapy [Hersh and Heath], 6:355
Enhanced tenodesis for retrocalcaneal surgery [Yu et al], 4:200
Extensor hallucis longus tendon rupture repair using a fascia lata allograft [Zielaskowski and Pontious], 8:467
Ligamentation of the adductor hallucis tendon in bunionectomy [Shrum], 9:512
Retrocalcaneal exostosis: anatomy and a new surgical approach [Boberg and Anania], 10:537
Tendon reconstruction in posterior tibial tendon dysfunction [Zirm], 10:570

Tenodesis
Enhanced tenodesis for retrocalcaneal surgery [Yu et al], 4:200

Tissue stress model
Use of the tissue stress model as a paradigm for developing an examination and management plan for a patient with plantar fasciitis [Ross], 9:499

Tumor
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306
Capillary hemangioma of the foot [Cione and Cozzarelli], 3:155
Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149
Synovial osteochondromatosis: a case report and review of the literature [Yu et al], 4:247

U

Ulcer
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
Diabetic foot wound care algorithms [Han and Ezquerro], 6:336
Diabetic limb salvage: a team approach at a teaching institution [DeNamur and Pupp], 8:457
Dressing selection in chronic wound management [Seaman], 1:24
The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Maggot debridement therapy: a primer [Armstrong et al], 7:398
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12
Standardizing wound treatment procedures for advanced technologies [Mulder], 1:7
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Third-party reimbursement for lower-extremity wound care [Goldsmith and Garoufalis], 1:54
Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350
Use of clinical laboratory parameters to evaluate wound healing potential in diabetes mellitus [Abu-Rumman et al], 1:38
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395
Wound-care resources on the Internet [Corral et al], 9:524
Wound treatment with human skin equivalent [De et al], 1:19

Ultrasonography
Ultrasonographic evaluation of plantar fascia bands: a retrospective study of 211 symptomatic feet [Vohra et al], 8:444

W

Women's health
The biology, medical management, and podiatric implications of menopause [Friedlander and Jones], 8:437

X

Xerosis
A comparative study of lactic acid 10% and ammonium lactate 12% lotion in the treatment of foot xerosis [Jennings et al], 3:143

AUTHOR INDEX

A

Abu-Rumman, Patricia L.:
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Use of clinical laboratory parameters to evaluate wound healing potential in diabetes mellitus [Abu-Rumman et al], 1:38
Alfieri, Donna M.: A comparative study of lactic acid 10% and ammonium lactate 12% lotion in the treatment of foot xerosis [Jennings et al], 3:143
Anania, Michelle C.: Retrocalcaneal exostosis: anatomy and a new surgical approach [Boberg and Anania], 10:537
Angirasa, Arush K.: P-glycoprotein as the mediator of itraconazole–digoxin interaction [Angirasa and Koch], 8:471
Armstrong, David G.:
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
Charcot's arthropathy of the foot [Armstrong and Peters], 7:390
Chemical matrixectomy for ingrown toenails: is there an evidence basis to guide therapy? [Espensen et al], 5:287
The Diabetic Foot 2001: a summary of the proceedings of the American Diabetes Association's 61st Scientific Symposium [Frykberg and Armstrong], 1:2
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Maggot debridement therapy: a primer [Armstrong et al], 7:398
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Use of clinical laboratory parameters to evaluate wound healing potential in diabetes mellitus [Abu-Rumman et al], 1:38
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395
Arnold, Thomas B.: Is the radiographic appearance of the hallucal tarsometatarsal joint representative of its true anatomical structure? [Sanicola et al], 9:491
Averett, Ryan: The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Axe, Timothy M.: A retrospective analysis of 772 patients with hallux limitus [Grady et al], 2:102

B

Bailey, LaWanda F.: Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
Bapat, Kalyani: Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Baskin, Eric S.: Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463
Bauer, Gary R.:
Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463
Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82
Boberg, Jeffrey S.:
Follow-up of the isolated medial approach to hallux abducto valgus correction without interspace release [Boberg and Judge], 10:555
Retrocalcaneal exostosis: anatomy and a new surgical approach [Boberg and Anania], 10:537
Scientific analysis of phenol nail surgery [Boberg et al], 10:575
Boulton, Andrew J. M.:
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Maggot debridement therapy: a primer [Armstrong et al], 7:398
Medical treatment of Charcot's arthropathy [Jude and Boulton], 7:381
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Bowden, Peter: Kinematics of the midtarsal joint during standing leg rotation [Nester et al], 2:77
Bowker, Peter: Kinematics of the midtarsal joint during standing leg rotation [Nester et al], 2:77
Brady, Jane:
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306
Infant heel nodules: calcification of epidermal cysts [Lemont and Brady], 2:112
Bresnahan, Philip J.: Review of *Introduction to Podopediatrics*, 2nd Ed, 8:475
Burke, Thomas J.: Symptomatic reversal of peripheral neuropathy in patients with diabetes [Kochman et al], 3:125

C

Carnegie, Dale H.: Symptomatic reversal of peripheral neuropathy in patients with diabetes [Kochman et al], 3:125
Casey, William F.: Wound-care resources on the Internet: an update [Corral et al], 9:524
Chan, Michael Kam Tim: A prospective epidemiologic survey on the prevalence of foot disease in Hong Kong [Chan and Chong], 8:450
Chen, Meilee L.: Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
Cho, Helen H.: Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82
Chong, Lai-Yin: A prospective epidemiologic survey on the prevalence of foot disease in Hong Kong [Chan and Chong], 8:450
Chuter, Vivienne: Sensitivity and specificity of the functional hallux limitus test to predict foot function [Payne et al], 5:269
Cione, Joseph A.: Capillary hemangioma of the foot [Cione and Cozzarelli], 3:155
Clause, Chad C.: Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463
Cornwall, Mark W.: Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking [Cornwall and McPoil], 2:67
Corral, Oscar L.: Wound-care resources on the Internet: an update [Corral et al], 9:524

Cozzarelli, John: Capillary hemangioma of the foot [Cione and Cozzarelli], 3:155
Croft, Bruce T.: Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109

D

Davis, Irene McClay: A comparison of four methods of obtaining a negative impression of the foot [Laughton et al], 5:261
Day, Fred: Congenital absence of the tibial sesamoid [Day et al], 3:153
De, Sumit K.: Wound treatment with human skin equivalent [De et al], 1:19
DeCaro, Louis J.: Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109
Dellon, A. Lee: Variations in the origin of the medial calcaneal nerve [Dellon et al], 2:97
DeNamur, Chad: Diabetic limb salvage: a team approach at a teaching institution [DeNamur and Pupp], 8:457
Deroy, Alan R.: Recognition of the flexor digitorum accessorius longus [Deroy et al], 8:463
Dickerson, Jason B.: Long-term follow-up of the Green-Watermann osteotomy for hallux limitus [Dickerson et al], 10:543
Dobrochasov, Denis: Podiatric medical resources on the Internet: a fourth update [Keith et al], 9:516
Dujela, Michael D.: Enhanced tenodesis for retrocalcaneal surgery [Yu et al], 4:200

E

Espensen, Eric H.:
Chemical matrixectomy for ingrown toenails: is there an evidence basis to guide therapy? [Espensen et al], 5:287
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395
Evans, R. D. Lee: The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Ezquerro, Ruben: Diabetic foot wound care algorithms [Han and Ezquerro], 6:336

F

Ferrari, Jill: Relationship between proximal articular set angle and hallux abducto valgus [Ferrari and Malone-Lee], 6:331
Fikar, Charles R.:
Podiatric medical resources on the Internet: a fourth update [Keith et al], 9:516
Wound-care resources on the Internet: an update [Corral et al], 9:524
Forbes-Kearns, Jacquelyn: Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
Frania, Stephen: Enhanced tenodesis for retrocalcaneal surgery [Yu et al], 4:200
Frederiksen, M. Shane: Scientific analysis of phenol nail surgery [Boberg et al], 10:575
Friedlander, Arthur H.: The biology, medical management, and podiatric implications of menopause [Friedlander and Jones], 8:437
Frykberg, Robert G.:
The Diabetic Foot 2001: a summary of the proceedings of the American Diabetes Association's 61st Scientific Symposium [Frykberg and Armstrong], 1:2
Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48

G

Garoufalis, Matthew G.: Third-party reimbursement for lower-extremity wound care [Goldsmith and Garoufalis], 1:54
Giacopelli, Joseph: Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350
Gilbert, Christi L.: Congenital absence of the tibial sesamoid [Day et al], 3:153
Giorgini, Renato: Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Goecker, Robert M.: Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Goldsmith, Harry: Third-party reimbursement for lower-extremity wound care [Goldsmith and Garoufalis], 1:54
Goldsmith, Jon R.: The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
Gonda, Elizabeth: Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82
Goodwin, Susan: A comparative study of lactic acid 10% and ammonium lactate 12% lotion in the treatment of foot xerosis [Jennings et al], 3:143
Gorby, Paul O.: Enhanced tenodesis for retrocalcaneal surgery [Yu et al], 4:200
Grady, John F.: A retrospective analysis of 772 patients with hallux limitus [Grady et al], 2:102
Graf, Peter: Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
Gragasin-Saviano, Liza: Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149
Granoff, David: Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350
Green, Donald R.: Long-term follow-up of the Green-Watermann osteotomy for hallux limitus [Dickerson et al], 10:543
Green, Richard: Long-term follow-up of the Green-Watermann osteotomy for hallux limitus [Dickerson et al], 10:543
Günal, Izge: Idiopathic flat-top talus [Öztuna et al], 6:368; (erratum), 8:443
Gupta, Aditya K.: Treatment of dermatophyte toenail onychomycosis in the United States: a pharmacoeconomic analysis, 5:272

H

Han, Paul: Diabetic foot wound care algorithms [Han and Ezquerro], 6:336
Harton, Francois M.:
Scientific analysis of phenol nail surgery [Boberg et al], 10:575
Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Heath, Nicholas S.: Achilles tendon rupture as a result of oral steroid therapy [Hersh and Heath], 6:355
Hersh, Bryan L.: Achilles tendon rupture as a result of oral steroid therapy [Hersh and Heath], 6:355
Hillstrom, Howard J.: Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82

Hudson, Justin R.:
Evaluation and treatment of stage 0 Charcot's neuroarthropathy of the foot and ankle [Yu and Hudson], 4:210
Predislocation syndrome: progressive subluxation/dislocation of the lesser metatarsophalangeal joint [Yu et al], 4:182
Syme's amputation: surgical technique, prosthetic considerations, and case reports [Hudson et al], 4:232

I

Isaacson, Ernest. Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149

J

Japour, Christopher J.: Ultrasonographic evaluation of plantar fascia bands: a retrospective study of 211 symptomatic feet [Vohra et al], 8:444
Jennings, Maureen B.:
A comparative study of lactic acid 10% and ammonium lactate 12% lotion in the treatment of foot xerosis [Jennings et al], 3:143
Study of clinically suspected onychomycosis in a podiatric population [Jennings et al], 6:327
Johnson, Richard W. S.: Synovial osteochondromatosis: a case report and review of the literature [Yu et al], 4:247
Jones, Lester J.: The biology, medical management, and podiatric implications of menopause [Friedlander and Jones], 8:437
Jones, P. Clint: Congenital absence of the tibial sesamoid [Day et al], 3:153
Joseph, Warren S.: Guidelines for authors, 1:61, 3:170, 7:409
Jude, Edward B.:
Medical treatment of Charcot's arthropathy [Jude and Boulton], 7:381
The role of matrix metalloproteinases in wound healing [Armstrong and Jude], 1:12
Judge, Molly S.:
Follow-up of the isolated medial approach to hallux abducto valgus correction without interspace release [Boberg and Judge], 10:555
Predislocation syndrome: progressive subluxation/dislocation of the lesser metatarsophalangeal joint [Yu et al], 4:182

K

Kaleta, Jennifer L.: The diagnosis of osteomyelitis in diabetes using erythrocyte sedimentation rate (letter), 5:314
Karr, Jeffrey C.: The diagnosis of osteomyelitis in diabetes using erythrocyte sedimentation rate (letter), 5:314
Keenan, Anne-Maree:
'Horses for courses': the differences between quantitative and qualitative approaches to research [Redmond et al], 3:159
Integrating research into the clinic: what evidence based practice means to the practising podiatrist [Keenan and Redmond], 2:115
Understanding statistics: putting P-values into perspective [Redmond and Keenan], 5:297
Keith, Latrina: Podiatric medical resources on the Internet: a fourth update [Keith et al], 9:516
Kerstein, Morris D.: Wound treatment with human skin equivalent [De et al], 1:19
Khoury, Wissam E.: The Jones compression bandage: review and clinical applications [Yu et al], 4:221
Kim, Jaesuk: Variations in the origin of the medial calcaneal nerve [Dellon et al], 2:97
Kincaid, Brian R.: Ultrasonographic evaluation of plantar fascia bands: a retrospective study of 211 symptomatic feet [Vohra et al], 8:444
Kirby, Kevin A.: Reliability and accuracy of biomechanical measurements of the lower extremities [Van Gheluwe et al], 6:317
Knowles, E. Ann: Maggot debridement therapy: a primer [Armstrong et al], 7:398
Kobayashi, Wesley: Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350
Koch, Ada Z.: P-glycoprotein as the mediator of itraconazole–digoxin interaction [Angirasa and Koch], 8:471
Kochman, Alan B.: Symptomatic reversal of peripheral neuropathy in patients with diabetes [Kochman et al], 3:125
Koestenblatt, Evelyn K.: Study of clinically suspected onychomycosis in a podiatric population [Jennings et al], 6:327
Kuyurtar, Fehmi: Idiopathic flat-top talus [Öztuna et al], 6:368; (erratum), 8:443

L

Landorf, Karl: 'Horses for courses': the differences between quantitative and qualitative approaches to research [Redmond et al], 3:159
Laughton, Carrie: A comparison of four methods of obtaining a negative impression of the foot [Laughton et al], 5:261
Lavery, Lawrence A.:
Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus [Lavery et al], 9:479
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395
Le, Anthony W.: A new technique for Charcot's foot reconstruction [Wang et al], 8:429
Lemont, Harvey:
Amelanotic melanoma masquerading as an ingrown toenail [Lemont and Brady], 5:306
Infant heel nodules: calcification of epidermal cysts [Lemont and Brady], 2:112
Lesczczynski, Christine:
A comparative study of lactic acid 10% and ammonium lactate 12% lotion in the treatment of foot xerosis [Jennings et al], 3:143
Study of clinically suspected onychomycosis in a podiatric population [Jennings et al], 6:327
Levy, Leonard A.: Review of *Falls in Older People: Risk Factors and Strategies for Prevention*, 6:371
Lidtke, Roy H.: The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
Logan, Loretta: A comparative study of lactic acid 10% and ammonium lactate 12% lotion in the treatment of foot xerosis [Jennings et al], 3:143
Lundberg, Lori A.: Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82

M

Malone-Lee, James: Relationship between proximal articular set angle and hallux abducto valgus [Ferrari and Malone-Lee], 6:331
Mandal, Richard: Prolotherapy in the treatment of foot problems [Tsatsos and Mandal], 6:366
Mannari, Rudolph J.: Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425

Marzano, Roger: Syme's amputation: surgical technique, prosthetic considerations, and case reports [Hudson et al], 4:232
Masotto, Mark: Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
Matz, Amanda: Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
McGill, Margaret: From acute to chronic: monitoring the progress of Charcot's arthropathy [Nubé et al], 7:384
McPoil, Thomas G.: Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking [Cornwall and McPoil], 2:67
Meltzer, Dessie D.: Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
Menz, Hylton B.: A retrospective analysis of JAPMA publication patterns, 1991–2000, 5:308
Miller, Kathryn: Sensitivity and specificity of the functional hallux limitus test to predict foot function [Payne et al], 5:269
Miller, Stephen J.:
Hammer toe correction by arthrodesis of the proximal interphalangeal joint using a cortical bone allograft pin, 10:563
Review of *Boxer's Shorts 3: The Medical Version*, 8:476
Molyneaux, Lynda: From acute to chronic: monitoring the progress of Charcot's arthropathy [Nubé et al], 7:384
Mossel, Jeff: Maggot debridement therapy: a primer [Armstrong et al], 7:398
Mozena, John D.: The Mozena Classification System and Treatment Algorithm for ingrown hallux nails, 3:131
Mulder, Gerit D.:
Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
Standardizing wound treatment procedures for advanced technologies, 1:7

N

Naas, Joseph E.: Secondary erythromelalgia, 8:472
Nester, Christopher: Kinematics of the midtarsal joint during standing leg rotation [Nester et al], 2:77
Nixon, Brent P.:
Cerebral vascular accident in the infected diabetic ulcer patient [Abu-Rumman et al], 1:59
Chemical matrixectomy for ingrown toenails: is there an evidence basis to guide therapy? [Espensen et al], 5:287
How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Maggot debridement therapy: a primer [Armstrong et al], 7:398
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Use of clinical laboratory parameters to evaluate wound healing potential in diabetes mellitus [Abu-Rumman et al], 1:38
Use of subatmospheric (VAC) therapy to improve bioengineered tissue grafting in diabetic foot wounds [Espensen et al], 7:395
Nubé, Vanessa L.: From acute to chronic: monitoring the progress of Charcot's arthropathy [Nubé et al], 7:384

O

Ochs, Diane: Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
Oropeza, Ruben: Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Osher, Lawrence: Is the radiographic appearance of the hallucal tarsometatarsal joint representative of its true anatomical structure? [Sanicola et al], 9:491
Öztuna, Volkan: Idiopathic flat-top talus [Öztuna et al], 6:368; (erratum), 8:443

P

Panthel, Lisa A.: Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48
Payne, Craig: Sensitivity and specificity of the functional hallux limitus test to predict foot function [Payne et al], 5:269
Payne, Wyatt G.: Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
Pels, Simon: Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
Peters, Edgar J. G.: Charcot's arthropathy of the foot [Armstrong and Peters], 7:390
Phillips, Robert D.:
Reliability and accuracy of biomechanical measurements of the lower extremities [Van Gheluwe et al], 6:317
Review of *Musculoskeletal Biomechanics*, 8:475
Pontious, Jane: Extensor hallucis longus tendon rupture repair using a fascia lata allograft [Zielaskowski and Pontious], 8:467
Pupp, Guy: Diabetic limb salvage: a team approach at a teaching institution [DeNamur and Pupp], 8:457

R

Redmond, Anthony C.:
'Horses for courses': the differences between quantitative and qualitative approaches to research [Redmond et al], 3:159; (introduction), 3:158
Integrating research into the clinic: what evidence based practice means to the practising podiatrist [Keenan and Redmond], 2:115; (introduction), 2:114
Understanding statistics: putting P-values into perspective [Redmond and Keenan], 5:297; (introduction), 5:296
Reinig, Michael: Clonic focal seizure of the foot secondary to nonketotic hyperglycemia [DeCaro et al], 2:109
Reis, Ernane D.: Wound treatment with human skin equivalent [De et al], 1:19
Richardson, Hugh: Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Robson, Martin C.: Decreasing amputation rates in patients with diabetes mellitus: an outcome study [Meltzer et al], 8:425
Roosen, Philip: Reliability and accuracy of biomechanical measurements of the lower extremities [Van Gheluwe et al], 6:317
Ross, Charles F.: A comparative study of lactic acid 10% and ammonium lactate 12% lotion in the treatment of foot xerosis [Jennings et al], 3:143
Ross, Michael: Use of the tissue stress model as a paradigm for developing an examination and management plan for a patient with plantar fasciitis, 9:499
Ruesch, Gina: Offloading properties of a Rocker Insole: a preliminary study [Frykberg et al], 1:48

S

Sanders, Lee J.: Jean-Martin Charcot (1825–1893): the man behind the joint disease, 7:375
Sanders, Stephanie: The association of hallux limitus with the accessory navicular [Evans et al], 6:359
Sanicola, Shawn M.: Is the radiographic appearance of the hallucal tarsometatarsal joint representative of its true anatomical structure? [Sanicola et al], 9:491

Schubert, Eric K.: The Jones compression bandage: review and clinical applications [Yu et al], 4:221
Seaman, Susie: Dressing selection in chronic wound management, 1:24
Seidelmann, Frank E.: Predislocation syndrome: progressive subluxation/dislocation of the lesser metatarsophalangeal joint [Yu et al], 4:182
Sheldon, Lori A.: A retrospective analysis of 772 patients with hallux limitus [Grady et al], 2:102
Shihabi, Nader S.: Fibrosarcoma of the foot masquerading as plantar fasciitis [Chen et al], 9:507
Short, Brian:
Maggot debridement therapy: a primer [Armstrong et al], 7:398
Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers [Armstrong et al], 7:405
Shott, Susan: The effects of range-of-motion therapy on the plantar pressures of patients with diabetes mellitus [Goldsmith et al], 9:483
Shrum, Dale G.: Ligamentation of the adductor hallucis tendon in bunionectomy, 9:512
Sobel, Ellen:
Limb salvage in recurrent synovial sarcoma of the right ankle and lower leg [Sobel et al], 2:90
Ultrasonographic evaluation of plantar fascia bands: a retrospective study of 211 symptomatic feet [Vohra et al], 8:444
Song, Jinsup: Stability of the offset V-osteotomy: test jig development and saw bone model assessment [Gonda et al], 2:82
Sowell, Robert D. "Doug":
Medicare: the good, the bad, and the ugly, 1:65
Practice models, 2:123
The strength of podiatric medicine, 3:180
Spaulding, Cecily M.: Variations in the origin of the medial calcaneal nerve [Dellon et al], 2:97
Stuck, Rodney M.: Pedal gangrene secondary to disseminated intravascular coagulation with gastric carcinoma [Gragasin-Saviano et al], 3:149

T

Taranto, Michael: Clinical and dynamic range-of-motion techniques in subjects with and without diabetes mellitus [Tinley and Taranto], 3:136
Tinley, Paul: Clinical and dynamic range-of-motion techniques in subjects with and without diabetes mellitus [Tinley and Taranto], 3:136
Tsatsos, George: Prolotherapy in the treatment of foot problems [Tsatsos and Mandal], 6:366
Tsukuda, Raymond K.: A new technique for Charcot's foot reconstruction [Wang et al], 8:429

V

Vande Berg, Jerry S.: Cellular senescence and matrix metalloproteinase activity in chronic wounds: relevance to debridement and new technologies [Mulder and Vande Berg], 1:34
Van Gheluwe, Bart: Reliability and accuracy of biomechanical measurements of the lower extremities [Van Gheluwe et al], 6:317
Vazquez, Jeffrey R.: How and why to surgically debride neuropathic diabetic foot wounds [Armstrong et al], 7:402
Viehe, Richard B.:
Acceptance address, 4:256
APMA online: a major resource for members and the public, 7:424
Diabetic foot care: podiatric physicians are the experts, 8:477
How else have we arrived?, 9:528
Looking outside of podiatric medicine, 10:597
Milestones in podiatric surgery, 6:372
We have arrived!, 5:316
Vincent, Andrew L.: Syme's amputation: surgical technique, prosthetic considerations, and case reports [Hudson et al], 4:232
Vohra, Praveen K.: Ultrasonographic evaluation of plantar fascia bands: a retrospective study of 211 symptomatic feet [Vohra et al], 8:444

W

Wang, James C.: A new technique for Charcot's foot reconstruction [Wang et al], 8:429
Weinberg, Jeffrey M.: Study of clinically suspected onychomycosis in a podiatric population [Jennings et al], 6:327
Weinfeld, Glenn D.: Enhanced tenodesis for retrocalcaneal surgery [Yu et al], 4:200
Weiskopf, Steven A.: Sectioning the plantar fascia: effect on first metatarsophalangeal joint motion [Harton et al], 10:532
Williams, Dorsey S.: A comparison of four methods of obtaining a negative impression of the foot [Laughton et al], 5:261

Y

Yoon, Jerry: Treatment of scleroderma skin ulcers using becaplermin gel and hydrocolloid membrane [Yoon et al], 6:350
Yu, Gerard V.:
Enhanced tenodesis for retrocalcaneal surgery [Yu et al], 4:200
Evaluation and treatment of stage 0 Charcot's neuroarthropathy of the foot and ankle [Yu and Hudson], 4:210
The Jones compression bandage: review and clinical applications [Yu et al], 4:221
Predislocation syndrome: progressive subluxation/dislocation of the lesser metatarsophalangeal joint [Yu et al], 4:182
Syme's amputation: surgical technique, prosthetic considerations, and case reports [Hudson et al], 4:232
Synovial osteochondromatosis: a case report and review of the literature [Yu et al], 4:247
Yue, Dennis K.: From acute to chronic: monitoring the progress of Charcot's arthropathy [Nubé et al], 7:384

Z

Zager, Emil J.: A retrospective analysis of 772 patients with hallux limitus [Grady et al], 2:102
Zema, Roger L.: Synovial osteochondromatosis: a case report and review of the literature [Yu et al], 4:247
Zielaskowski, Lorne A.: Extensor hallucis longus tendon rupture repair using a fascia lata allograft [Zielaskowski and Pontious], 8:467
Zirm, Richard J.: Tendon reconstruction in posterior tibial tendon dysfunction, 10:570